TABLE 2. Number, incidence rate<sup>1</sup>, and median days<sup>2</sup> away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, South Carolina, 2013

Part  Total private industry <sup>5,6,7</sup>	Number	Incidence	Media
Total private industry <sup>5,6,7</sup>		rate	Median days away from work
I	2,970	24.1	15
Marks Inchestion of the art	00		4.5
Neck, including throat  Neck, except internal location of diseases or disorders	20 20	.2 .2	15 15
Trunk	1,580	12.9	15
Chest, including ribs, internal organs	20	.1	1
Chest, except internal location of diseases or disorders	20	.1	1
Back, including spine, spinal cord	1,370	11.1	15
Back, including spine, spinal cord, unspecified	560	4.6	7
Thoracic region	30	.3	5
Lumbar region	750	6.1	15
Multiple back regions	20	.2	46
Abdomen	140	1.1	21
Abdomen, except internal location of diseases or disorders	140	1.1	21
Pelvic region	50	.4	6
Hip(s)	20	.2	33
Groin	30	.2	6
Upper extremities	900	7.3	71
Shoulder(s), including clavicle(s), scapula(e)	560	4.5	91
Arm(s)	140	1.1	25
Arm(s), unspecified	30	.2	24
Elbow(s)	90	.7	122
Wrist(s)	110	.9	15
Hand(s)	50	.4	13
Hand(s), unspecified	30	.2	17
Multiple upper extremities locations	40	.4	14
Hand(s) and wrist(s)	20 20	.1 .2	28 5
Lower extremities	320	2.6	7
Leg(s)	210	1.7	17
Knee(s)	190	1.6	17
Ankle(s)	80	.6	2
Foot (feet)	20	.2	3
Foot (feet), unspecified	20	.2	3
Multiple body parts	120	1.0	6
Neck and back	20	.1	74
Other multiple body parts	90	.7	6
Multiple body parts, n.e.c.	90	.7	6
Nonclassifiable	20	.1	107
Total state government <sup>5,6,7</sup>	160	22.6	14
Trunk	100	14.2	14
Back, including spine, spinal cord	100	13.8	14
Thoracic region	20	2.1	131
Lumbar region	80	11.2	14
Upper extremities	20	2.9	14
Lower extremities	20	2.4	16
Multiple body parts	20	2.4	30
Total local government <sup>5,6,7</sup>	690	41.0	10
F	000	40.7	10
Trunk	320	18.7	10
Back, including spine, spinal cord	270 180	15.8	10
Back, including spine, spinal cord, unspecified	180	10.8	10
Lumbar region	70	4.0	3
Upper extremities	90	5.5	26
Shoulder(s), including clavicle(s), scapula(e)	40	2.6	21

See footnotes at end of table.

TABLE 2. Number, incidence rate<sup>1</sup>, and median days<sup>2</sup> away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, South Carolina, 2013 — Continued

	Musculoskeletal disorders (MSDs)		
Part	Number	Incidence rate	Median days away from work
Wrist(s)	40	2.5	26
Lower extremities  Leg(s) Knee(s) Ankle(s) Foot (feet) Foot (feet), unspecified	210 50 40 110 50 50	12.4 3.0 2.3 6.4 2.9 2.9	2 10 20 1 2

See footnotes at end of table.

TABLE 2. Number, incidence rate1, and median days2 away from work for nonfatal occupational injuries and illnesses involving days away from work<sup>3</sup> for musculoskeletal disorders<sup>4</sup> by part of body and ownership, South Carolina, 2013 Continued

Part	Musculoskeletal disorders (MSDs)		
	Number	Incidence rate	Median days away from work
Multiple body parts Shoulder(s) and back Other multiple body parts Multiple body parts, n.e.c.	70 20 50 50	4.0 1.1 2.9 2.9	91 71 91 91

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

injuries = number of illnesses and EΗ hours = total worked employees by all during the calendar year 20,000,000 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

Excludes farms with fewer than 11 employees.

Note: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

Source: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies.

<sup>&</sup>lt;sup>2</sup> Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

 <sup>3</sup> Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.
 4 Musculoskeletal disorders (MSDs) include cases where the nature of the injury or illness is pinched nerve; herniated disc; meniscus tear; sprains, strains, tears; hernia (traumatic and nontraumatic); pain, swelling, and numbness; carpal or tarsal tunnel syndrome; Raynaud's syndrome or phenomenon; musculoskeletal system and connective tissue diseases and disorders, and when the event or exposure leading to the injury or illness is overexertion and bodily reaction, unspecified; overexertion involving outside sources; repetitive motion involving microtasks; other and multiple exertions or bodily reactions; and rubbed, abraded, or jarred by vibration.

Data for Mining (Sector 21 in the North American Industry Classification System-- United States, 2007) include establishments not governed by the Mine Safety and Health Administration rules and reporting, such as those in Oil and Gas Extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore, estimates for these industries are not comparable to estimates in other industries.

Data for employers in rail transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.